

MYSAKOWSKA, H.; KLEPACKI, M.; SMAGA, N.; GORSKA, S.; CYGAN, E.; SZAREWICZ, W.
SIKORA-ROZYNKA, .; JARZYNA, J. (Lublin)

Cases of delay and neglect in the treatment of pulmonary tuberculosis among the rural population. Gruslica 31 no.6:674-676
Ja'63.

*

KLEPACKA, Marta; NIEWIEDZIOL, Bronislaw.

Leukemia with co-existing tuberculosis. Grzylca 32 no.2:155-158
P'64

1. Z II Kliniki Pediatrycznej AM w Lublinie; kierownik: doc.dr.
med. A.Gebala.

*

KIEPACKI, E.

Measuring temperature by means of thermoelectric devices. p. 104.
SZKLO I CHEMIA, Warszawa, Vol. 6, no. 5, May 1955.

50: Monthly List of East European Accessions, (MEM), 10, Vol. 4, no. 10, Oct. 1955,
Uncl.

MYSAKOWSKA, Helena; KLEPACKI, Mirosław; GRODZKI, Stanisław;
KRISTOSIK, Wanda

Comparison of 2 groups of patients with pulmonary tuberculosis
in the Lublin rural area with delayed and neglected treatment.
(Based on the material of the tuberculosis Clinic of Academy
of Medicine in Lublin in 1959-1961 and 1962-1963). Gruzlica
33 no.7:593-595 J1 '65.

1. Z Katedry Ftizjatrii AM w Lublinie (Kierownik, doc. dr.
H. Mysakowska).

KLEPACKI, W.

"Harrow WR-5" p. 26 (Plon, Vol. 5, No. 4, Apr. 1954)

SO: Monthly List of East European Accessions, Vol. 3, No. 6, Library of Congress, June,
1954, Uncl.

WLEPACI, WACLAW

Mechanizacja uprawy kukurydzy. (Wyd. 1.) Warszawa, Państwowe Wydawn. Rolnicze
i Leśne, 1956. 130 p. (Mechanization of maize cultivation. 1st ed.)
DA Not in DLC

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 8, Aug 1957. Uncl.

KLEPACKI, Wacław

Economic studies on the well-founded service life of machinery, based on the interrelation of maintenance, repair costs, and depreciation rates. *Zeszyty problematyczne postępu nauki rolniczej* no. 44:229-255 '64.

1. Institute of Mechanization and Electrification in Agriculture, Warsaw.

ACC NR: AT6033636

SOURCE CODE: PO/2532/66/000/026/0021/0021

AUTHOR: Klepacki, Wojciech —klepatskiy, V. (Master engineer)

ORG:

TITLE: Case of a self-excited vibration in a turbine engine

SOURCE: Warsaw. Instytut Lotnictwa. Prace, no. 26, 1966, 21-27

TOPIC TAGS: turbine, turbine engine, mechanical stress, *transient vibration, vibration analysis*

ABSTRACT: The longitudinal vibration, (10—110 μ amplitude), investigated at the Institute of Aeronautics, Warsaw, was occurring under transient conditions, the most intensive one taking place during the 60-minute transition from 7000 to 15500 rpm. The characteristics of the vibration are described along with experiments and measurements such as resonance and rigidity tests of the engine's components and measurement of pressures in front of turbine disk. The research work carried out after finding the cause of the vibration is discussed. Orig. art. has: 22 figures.

[WA-76]

SUB CODE: 2130/SUBM DATE: Jul65/

Card 1/1

UDC: 539.43:621.438

KLEPACKI, W. and SLASKI Z. Klin. Chor. dzieci., Akad. med., Lublin. Krotka charakterystyka epidemii choroby Heinego Medina w roku 1951 na terenie wojewodstwa lubel skiego z uwzględnieniem wczesnej diagnostyki A short review of the poliomyelitis epidemic in 1951 in the Lublin district, with regard to early diagnosis PEDIAT. POLSKA 1953, 28/4 (395-400) Graphs 1 Tables 3
Out of 90 cases 37% fall into the age group of 2-5 yr. Only 2 cases were observed below 6 months of age. In 10% of the cases a pre-paralytic symptom of abnormal movements when sitting up was observed. The amount of protein in the CSF was normal in 90% of cases. Rappaport - Tel Aviv (XI, 8, 7)

SO: EXCERPTA MEDICA, Vol. 7, No. 3, Section VIII, March 1954

BORECKA, D.: DOLEZKO, H.: KLEPACKI, W., KRANCZYNSKA, H., MIERZEJEWSKI, M.
NARBUTOWICZ, B. PARNAS, J.: PERLINSKA, L., STASKIEWICZ, J.

Research on etiology of infantile diarrhea in Lublin region. *Pediat. polska* 30 no.3:231-242 Mr '55.

1. Z Zakladu Mikrobiologii keraskiej A.M. w Lublinie, Kierownik:
prof. dr J. Parnas; Z. Kliniki Chorob Dzieciacych, A.M. w Lublinie,
Kierownik: prof. dr med. W. Klepacki, Lublin, Stalingradzka, 85.
Zakl. Mikrobiologii Lek. A.M.

(DIARRHEA, in infant and child
bacteriol. eticle in Poland)

KLEPACKI, Witold, GIERKOWICZ, Teresa, STSKIEWICZ, Jadwiga

**Acrodynia; Swift's and Feer's disease. Polski tygod. lek. 13
no. 14:510-514 7 Apr 58**

**1. (Z Kliniki Chorob Dzieci Ak. Med. w Lublinie; kierownik; doc. dr med.
Witold Klepacki). Adres: Lublin, ul. Dabrowskiego 24.
(ACHODYNIA, case reports
(Pol))**

KLEPACKI, Witold; GIERKOWICZ, Teresa

Cerebrospinal meningitis and pleurisy in acute myelocytic leukemia
in a child. Polski tygod. lek. 14 no.47:2067-2069 23 Nov 59.

1. (Z Kliniki Chorob Dzieci Akademii Medycznej w Lublinie; kierownik:
doc. dr med. Witold Klepacki)
(MENINGITIS, etiol.) (PLEURISY, etiol.)
(LEUKEMIA MYELOCYTIC, compl.)

KLEPACKI, Witold; GIERKOWICZ, Teresa

**Etiological and clinical problems of acute leukemias in children.
Polski tygod.lek. 14 no.51:2225-2231 21 Dec. '59.**

**1. Z Kliniki Chorob Dzieci A.M. w Lublinie; kierownik: prof. dr.
med. Witold Klepacki.
(LEUKEMIA in inf.& child.)**

ACC NR: AT6033636

SOURCE CODE: PO/2532/66/000/026/0021/0027

AUTHOR: Klepacki, Wojciech — Klepatskiy, V. (Master engineer)

ORG:

TITLE: Case of a self-excited ¹⁶vibration in a turbine engine²³

SOURCE: Warsaw. Instytut Lotnictwa. Prace, no. 26, 1966, 21-27

TOPIC TAGS: turbine, turbine engine, mechanical stress, *transient vibration, vibra-*

the analysis
ABSTRACT: The longitudinal vibration, (10—110 μ amplitude), investigated at the Institute of Aeronautics, Warsaw, was occurring under transient conditions, the most intensive one taking place during the 60-minute transition from 7000 to 15500 rpm.

The characteristics of the vibration are described along with experiments and measurements such as resonance and rigidity tests of the engine's components and measurement of pressures in front of turbine disk. The research work carried out after finding the cause of the vibration is discussed. Orig. art. has: 22 figures.

(WA-76)

SUB CODE: 2130/SUBM DATE: Jul65/

Cord 1/1

UDC: 539.43:621.438

KLEPACKI, Wojciech, mgr inż.

~~Influence of the elasticity of the airscrew and the reduction gear on the torsional vibration frequency of a piston engine.~~ Inst. lotn prace no.18:11-18 '63.

1. Opiniował prof. dr. inż. Władysław Wiszdon.

KLEPACKI, Zdzisław

Atrio-ventricular dissociation with interference in a case of rhythm disorders in pericardiolysis. Pol. Tyg. lek. 19 no.36:1377-1379 7 S '64.

1. 2 Pracowni Encefalo-Kardiograficznej Wojewódzkiego Szpitala im. J. Piłsudskiego w Białymstoku (kierownik: doc. dr med. W. Zankiewicz).

WISNIEWSKI, Wladyslaw, prof. dr; KLEPACZEWSKA-SALUDA, Elzbieta

Determination of the ethanol content in liquid extracts
by the refractometric method. *Farmacja Pol* 20 no. 3/4:
82-85 25 F '64.

1. Zaklad Farmacji Stosowanej, Akademia Medyczna, Warszawa.
Kierownik: Prof. dr Wl. Wisniewski.

WISNIEWSKI, Wladyslaw; KLEPACZEWSKA-SALUDA, Elzbieta

Refractometric determinations of ethanol content of tinctures.
Acta Pol. pharm. 21 no.6:489-492 '64

1. Z Zakladu Farmacji Stosowanej Akademii Medycznej w Warszawie
(kierownik: prof. dr. W. Wisniewski).

WISNIEWSKI, Wladyslaw; KIEPACZYNSKA-SALUDA, Elzbieta

A refractometric method for the determination of ethanol in ethanol-water-ether mixtures and in valerian tinctures. Acta Pol. pharm. 21 no.1:41-46 '64.

1. Z Zakladu Farmacji Stosowanej Akademii Medycznej w Warszawie (Kierownik: prof. dr W. Wisniewski).

KLEPAOZKO, Franciszek; LEWANDOWSKI, Mieczyslaw(Lublin)

Method of closing the inguinal annuli in the course of castrating
cryptorchids. Rocz nauk roln wet 70 no.1/4:106-108 '60.
(KEAI 10:9)

(Stallions) (Castration)

KLEPACZKO, Janusz; LITONSKI, Jacek

The properties of materials under the conditions of cylindrical bending. Rospr ins PAN 9 no.4:757-767 '61.

1. Zakład Mechaniki Osrodkow Ciaglych, Instytut Podstawowych Problemow Techniki, Polska Akademia Nauk, Warszawa.

44003

P/006/62/010/003/005/006
D237/D308

10.7200

AUTHOR: Klepaczko, Janusz

TITLE: Influence of the width of the strip subject to cylindrical bending, on the bending moment in the plastic state

PERIODICAL: Rozprawy inżynierskie, v. 10, no. 3, 1962, 543-562

TEXT: Rectangular profiles are considered and bending processes are represented by surfaces in the $(M/W, g/2 \rho_0, b/g)$ coordinates where M = bending moment, W = transverse cross-section index, g = thickness of the strip, b = its width, ρ_0 = radius of the middle layer. The above coordinate system makes possible the comparison of bending curves for strips of various widths and thicknesses. The deformation of the cross-section of the strip is investigated for large and small values of b/g . Analyzing the influence of the strip width on the bending moment per unit width the author found the maximum values of $(b/g)_0$ above which the bending moment per unit width remains constant. For mild steel and brass the values of

Card 1/2

Influence of the width ...

P/006/62/010/003/005/006
D237/D308

(b/g) were ~ 20 and 10 respectively, and the corresponding curves are called the bending curves for the strip of infinite width. Finally, assuming a power stress-strain relation, incompressibility and the condition of the plane strain, the author derives a graphical-analytical method of computation of the bending curve of the strip of infinite width, with hardening. For large curvatures M can be plotted versus $1/\rho$ by this method, which has been verified experimentally for brass, the error not exceeding $\sim 6\%$. There are 18 figures and 1 table.

ASSOCIATION: Zakład Mechaniki Ośrodków Ciągłych IPPT PAN (Department of Mechanics of Continuous Media, IPPT PAS)

SUBMITTED: January 10, 1962

Card 2/2

LITONSKI, Jacek; KLEPACZKO, Janusz

Influence of initial plastic extension on the young modulus of brass and low-carbon steel. Rospr ins PAN 12 no.2:251-266 '64.

1. Department of Mechanics of Continuous Media, Institute of Basic Technical Problems, Polish Academy of Sciences, Warsaw.

KLEPACZKO, J.; LITONSKI, J.; MARCINIAK, Z.

Cylindrical bending of sheet metal. Bul Ac Pol tech 12 no. 3:
157-163 '64.

1. Department of Mechanics of Continuous Media, Institute of
Technical Problems, Polish Academy of Sciences, Warsaw.
Presented by W. Olszak.

KLEPACZKO, Janusz

Influence of strain rate on the strain-hardening curve of aluminum. Rozpr in PAN 12 no.3:455-467 '64.

1. Department of Mechanics of Continuous Media of the Institute of Basic Technical Problems of the Polish Academy of Sciences, Warsaw.

1. Quarter engineer, 1944-1945

2. Quarter engineer, 1945-1946

3. Quarter engineer, 1946-1947

4. Quarter engineer, 1947-1948

1948

11-10-50. AP5001625

strain. In the majority of cases this is a result of the fact that, however, the material is not a single phase, but a mixture of two or more phases. The melting point, pressure, and other properties of the material, to a certain degree, modify the creep and relaxation characteristics of the material.

Wskazywanie: Interwał podstawowych problemów technicznych, które są związane z użytkowaniem, PANI

L 38/15-66 EMT(d)/ENP(k)/ENP(w)/ENP(v) IJP(o) EM/WW

ACC NR: AP6021977

SOURCE CODE: PO/0006/66/014/002/0263/0275

AUTHOR: Klepaczko, J. (Warsaw); Konig, J. A. (Warsaw) 273

ORG: Department for Continuous-Media Mechanics, Institute for Fundamental Problems in Engineering, Polish Academy of Sciences (Zaklad mechaniki ośrodków ciągłych Instytutu podstawowych problemów techniki, PAN)

TITLE: Axial compression of a cylindrical shell under simultaneous internal pressures 26 24

SOURCE: Rozprawy inżynierskie, v. 14, no. 2, 1966, 263-275

TOPIC TAGS: shell buckling, shell ^{structure} stability, shell design

ABSTRACT: An experimental and theoretical analysis of the effect of simultaneous axial loads and internal pressures on the stability of a cylindrical shell is presented. Under such conditions, characteristic boundary zones formed in the vicinity of both ends of the fastened shell were revealed. It is possible that these zones were caused by the effect of the moments appearing at the periphery in the support sections. The authors' considerations are confined to the deformation process of the shell; they did not take into account the magnitudes of the loads at the moment of stability loss. A tentative theoretical analysis of the effect under consideration is given for elastic, elastic plastic, and plastic states. In the plastic state, the material of the shell is assumed to be isotropic, with strain hardening being

Card 1/2

L 38415-66

ACC NR: AP6021977

under the power law. The results of experiments with thin-walled brass tubular specimens are given.

(BP)

SUB CODE: /3/ SUBM DATE: 02Aug65/ ORIG REF: 001/ OTH REF: 003/ SOV REF: 004/

Cord

2/2

10

KLIPAKOVA, I., red.; SHAFETA, S., tekhn.red.

[Traffic regulations for streets and roads of the U.S.S.R.]
Pravila rukhn po vulytsiakh i dorohakh Soiuzu RSR. Kyiv,
Derzh.vyd-vo lit-ry URSS, 1960. 85 p. (MIRA 14:3)

1. Ukraine. Gosudarstvennaya avtomobil'naya inspektsiya.
(Traffic regulations)

KLEPAL, J. MUDr.

Results of treatment in a night sanatorium. Cesk. zdrav. 12 no.9:
460-464 S '64.

1. Vedouci lekar nocniho sanatoria ZUNZ, Chemicke zavody CSSP.

KLEPAL, WACLAW

Vyrobba ezubnych kol. (Vyd.1.)

Praha, Czechoslovakia. Statni nakl. technicke literatury, 1959. 401 p.

Monthly list of East European Accessions (EEAI) LC, Vol. 9, no. 1, January 1960.

Uncl.

KIEPAL, Vaclav; SINDLER, Erich

Automatic production of gearings. Stroj vyr 11 no.5:233-236
My '63.

1. Tovarny na obrabeci stroje Celakovice, n.p., Celakovice.

KLEPAL, Vaclav

Calculation of change gears for lathes. Stroj vyr 12 no.1:
65-66 Ja'64.

KLEPAL, Vaclav

Calculation of change wheels for turning an abnormal lead of
thread on a lathe with a gear box. Stroj vyr 12 no.2:147.118
'64.

KLEPAL, Vaclav

The new in the production of spur gears. Stroj v/r 12 no.11:833-834 '62.

1. Tovarny na obrabeci stroje National Enterprise, Celakovice.

KLEPAL, Vaclav

The new in the production of straight beveled gears. Stroj
vyr 13 no.2:121-125 F '65.

1. Tovarny na obravecl stroje National Enterprise, Colakovice.

1 21001-46 (P) (V) BJ
ACC NR: AP0022561
SOURCE CODE: CZ/0031/65/013/012/0877/0881

AUTHOR: Krcal, Václav

ORG: TOS, Celakovice

TITLE: Selection of grinding wheels for MAAG grinders of spur gears

SOURCE: Strojirenska výroba, v. 13, no. 12, 1965, 877-881

TOPIC TAGS: grinding machine, abrasive, metal finishing, transmission gear

ABSTRACT: The article discusses the factors to be considered in the selection of grinding wheels for MAAG grinders of spur gears; the abrasive, its particle size, degree of hardness and structure, with emphasis on the structure. Orig. art. has 3 figures and 3 tables. [JPRS]

SUB CODE: 13 / SUBM DATE: none / ORIG REF: 003

Cord 1/1 (C)

0510

KLEPANDA, V. V.

04524/103

THE

2025(5)3, 2025(5)

ATTENTION: CONFIDENTIAL

[illegible]

100-443887-100

[illegible]

comment. This is a collection of 11 Russian articles, compiled by the Soviet Press, and is one of the most important. The subject matter, one of them on references to an anti-Semitic article. The subject matter, one of them on references to an anti-Semitic article. The subject matter, one of them on references to an anti-Semitic article.

THE

(b)(7)(C) - Confidentiality of Information

Publication of the Technologist (cont.)

Wash., D.C., U.S. Embassy, and U.S. Consulate, Inc., 1000
Admission Upon Basic Properties of American Steel, Inc., 1000
Washington, D.C.

Stalder, P.J., F.J. Clements, and Dr. R. Reynolds. **Days of Emergence of the Eggs of the Mosquitoes of the Genus *Culex* in Northern Illinois.** 1913.

...the ... of ...

WILLYMER, I.L. Social Selling According to Technological Performance
Source: Simulation of Charts

S

TRISHEVSKIY, I.S.; KLEPANDA, V.V.

Using roll feed on rod rolling mills. Biul.tekh.-ekon.inform.
no.9:15-18 '58. (MIRA 11:10)
(Rolling mills)

SOV/133-59-4-15/32

AUTHORS: Trishevskiy, I.S., Candidate of Technical Sciences;
Klepanda, V.V., Engineer, and Orlov, A.V.

TITLE: Inserts of High Durability for Guides of Rod Mills
(Vysokostoykiye vstavki dlya propuskov provolochnykh stanov)

PERIODICAL: Stal', 1959, Nr 4, pp 342-344 (USSR)

ABSTRACT: In a number of cases the application of roller passes on continuous rod mills presents some design difficulties, therefore in such cases it is necessary to utilize high durability friction passes. Characteristic data on the durability of passes on rod mills 250 used on the Magnitogorsk and Makeyevka Works is shown in table 1. The Ukrainian Institute of Metals carried out an investigation on the possibility of increasing the durability of passes. The experimental work was carried out on the Makeyevka Works during the rolling of rods 6.5 mm in diameter. Inserts made from chromium and boron steels (Fig 1) were tested. The results obtained are shown in table 2. It was found that the durability of passes with steel inserts with chromium steel working surface was on average 57 hours of continuous

Card 1/2

SOV/133-59-4-15/32

Inserts of High Durability for Guides of Rod Mills

work which is 7 times higher than that of the usual passes made from grey cast iron. The durability of passes with steel inserts with boron steel working surface was on average 106 hours of continuous work, i.e. 13.5 times higher than the durability of the usual passes. Details on the chromium and boron steel inserts used for the investigation are given. There are 4 figures and 2 tables.

ASSOCIATION: Ukrainskiy N.-I. Institut Metallov (Ukrainian Scientific Research Institute of Metals)

Card 2/2

27930

3/133/61/000/009/004/011
A054/A127

1.1300

AUTHORS:

Trishevskiy, I. S., Candidate of Technical Sciences, Soroko, L. N.,
Klepanda, V. V., Naydenov, A. A., Skokov, P. I., Gamershteyn, V. A.,
Kaluzhskiy, V. B., Engineers

TITLE:

Grooving of rolls for the shaping of corrugated sheets

PERIODICAL: Stal', no. 9, 1961, 817 - 824

TEXT:

According to the authors the best way of producing corrugated sheets is rolling them from sheet metal on shaping mills instead of producing them by stamping. The groove designs of the rolls for this process were made to suit the pilot industrial-scale shaping mill of the Ukrainskiy institut metallov (Ukrainian Institute of Metals). The tests were carried out with O8k_n (O8k_p) steel on 15 stands (scale 1:1). To ensure strip stability and a good quality corrugation, the design provides for the successive profiling of sectors, starting from the central rib towards strip edges. The ribs are shaped by the work rolls; before the first and second stand vertical auxiliary rolls are used as guides. One of the features of the new grooving system is the application of varying radii with a constant distance between the bending arc centers. The shaping radii are determined in such

Card 1/3

27930

S/133/61/000/009/004/011

A054/A127

Grooving of rolls for the shaping of corrugated sheets

of the "Zaporozhstal'" Plant under the following conditions: I - feeding stand with cylindrical rolls; II-VII - stands; shaping the central rib with bending angles of 12° - 28° - 46° - 62° - $72^{\circ}30'$ - $72^{\circ}30'$; VIII-XI - stands; shaping the internal lateral edges of the small outer ribs with bending angles of 18° - 40° - 60° - $72^{\circ}30'$; XII-XV - stands; shaping the lateral edges of the small outer ribs with bending angles of 18° - 40° - 60° - 73° ; XVI-XVII - stands; shaping the longitudinal nick with bending angles of 35° - 71° ; XVIII - stand; doubling stand XVII. The authors conclude by stating that the grooving of shaping mill rolls for the production of corrugated sheets, based on a constant distance between the bending arc centers and on a variable magnitude of radii makes it possible to obtain shapes without cracks in the bending spots and without surface defects. There are 4 figures.

ASSOCIATION; Ukrainskiy nauchno-issledovatel'skiy institut metallov (Ukrainian Scientific Research Institute of Metals) and "Zaporozhstal'" Plant

Card 3/3

KLEPANDA, V.V., inzh.

Determining the durability of iron mill rolls. Mat. 1
gornorud. prom. no.4:23-27 J1-Ag '63. (MIRA 16:11)

1. Ukrainskiy nauchno-issledovatel'skiy institut metallov.

TRISHNEVSKIY, Igor' Stefanovich; KLEPANDA, Vladimir Viktorovich;
LITOVCHENKO, Nikitla Vasil'yevich

[Adjustment of continuous rolling mills] Nastroika nepre-
ryvnykh prokatnykh stanov. Moskva, Izd-vo "Metallurgiya,"
1964. 366 p. (MIRA 17:8)

L 39752-65 EWI(d)/EWI(e)/EWI(w)/EWA(d)/EWI(v)/EWI(t)/EWI(k)/EWI(h)/EWI(b)/
EWI(c)/EWI(a) ff-4 JD/HW/EM

1. *Chlorophyll a* (Chl *a*)

... M. A. Kurgiy, A. S. ...

Chelakovskiy, I. S.; Klepanda, V. A.; Chelakovskiy, E. S.

affecting the production of curved rolled shapes of the hot type by calibration with an upset cold-chamber

ИЗД.: 3б. тр. Укр. н.-і. ін-т металлов, вип. 1, 1964.

rolling effect, rolling mill, rolling mill, unrolling, rolling surface

A scheme worked out for the purpose of reducing the amount of information transmitted in a compressed form, while maintaining the same number of standing points, is shown in Figure 1. The scheme is based on the principle of reducing the amount of information transmitted by the amount of information transmitted in a compressed form, while maintaining the same number of standing points. The scheme is based on the principle of reducing the amount of information transmitted by the amount of information transmitted in a compressed form, while maintaining the same number of standing points.

REF ID: A65004773

Page 44: AR5004773

... of the total occurs at the point ...

ENCL: 00

ENT(d)/ENT(m)/EWA(d)/EMP(v)/EMP(t)/EMP(k)/EMP(h)/EMP(b)/EMP(l)/EWA(c)
UR/0137/65/000/006/D009/D009

ACCESSION NR: AR5017426

SOURCE: Ref. zh. Metallurgiya, Abs. 6D65

AUTHOR: Trishchinskij, I. S.; Klepanda, V. V.; Gamershteyn, V. A.; Naydenov, A. A.; Skokov, F. I.; Karpinskiy, V. B.; Arkimov, E. P.

TITLE: Thinning of a metal in the production of bent profiles of the corrugated sheet type

CITED SOURCE: Sb. tr. Ukr. n.-i. in-t metallov, vyp. 10, 1964, 250-263

TOPIC TAGS: sheet metal, metal rolling, metal thinning, rolling mill, /08 kp steel

TRANSLATION: A study was made of the amount of thinning of a metal in bent profiles of the corrugated sheet type shaped by three systems of roller design. Starting materials for forming were sheets of 08 kp steel 3 mm thick, 669 mm wide, and 3110 mm long. It must be noted that the amount of thinning depends on the number of molding and doubling stands. The amount of thinning increases with an increase in tension between stands of the strip being formed. Thinning of

Card 1/2

L 61025-63

ACCESSION NR: AR5017426

the metal at the forward end of the sheet is 4.6% greater than at the back end, due to the presence of a hard end and to the stress during forming of the strip. The amount of thinning depends on the distance between the supporting disks and the origin of deformation; it depends also on the length of the finished shape, and increases by 1.2 times for sheets 13 meters long compared to sheets 3.10 meters long. G. Svodtseva

SUB CODE: MM

ENCL: 00

awm
Card 2/2

KLEPARNIK, M. (Brno)

Exhibits of the První brněnská strojírna Factory at the 6th
Brno International Fair. Strojirenství 15 no.1:68-69 Ja '65.

KLEPATSKAYA, I. I.
Radionphysics

Dissertation: "Investigation of the Circuits of Highly Stable Quartz Generators."
Cand Tech Sci, Leningrad Electrical Engineering Inst, Leningrad, 1953.
(Referativnyy Zhurnal -- Fizika Moscow, Mar 54)

SO: SUM 213, 20 Sep 1954

KLEPATSKAYA, V.D., inzhener.

Essential problems of precision in machine building. Vest.
mash. 36 no.8:75-79 '56. (MLRA 9:10)

(Machine tools)

L 10376-67 EWT(1) SCTB DD

ACC No: AP6035943 (✓) SOURCE CODE: UR/0413/66/000/020/0204/0204 10

INVENTOR: Tyurin, V. I.; Klepatskiy, A. G.; Kolyadina, L. A.; Kitayev, Yu. V.; Sapogov, S. V.

ORG: none

17
TITLE: Breathing device for divers working at constant depths. Class 65,
No. 187553 ✓

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 20, 1966,
204

TOPIC TAGS: water, air, respirator, diving mask, naval physiology

ABSTRACT: An Author Certificate has been issued for a breathing device for divers working at constant depths. It consists of a housing with a mask and inhaling and exhaling valves; it is connected to the breathing bag of the device regulating the required gas volume. The breathing bag has a bleeder valve joined to a regenerative cartridge containing a chemical substance, and to a cartridge containing a chemical absorbent. To insure that the diver can remain under water at constant depths for a long period, the component regulating the required gas

Cont 1/2

UDC: 629.128.2/7 614.894

L 10876-67

ACC NR: AP6035943

volume in the breathing bag is in the form of a housing with channels. The housing is joined to the exhalation tube by a regenerative cartridge and a cartridge containing a chemical absorbent. The housing contains a valve rest contacting an elasticized membrane mounted inside the housing and attached to the elastic walls of the breathing bag by flexible trip rods. The housing automatically distributes the flow of exhaled gas to the regenerative and absorbent cartridges. Orig. art. has: 1 figure. [Translation] [N-67-2]




Fig. 1. Breathing device for divers.

1—Housing of device regulating required gas volume; 2—valve rest; 3—membrane; 4—spring; 5—breathing bag; 6—elastic trip rods

Card 2/2

SUB CODE: 06/SUBM DATE: 13Jan65/

~~KLEPATSKIY, B.I.~~

Postoperative gastroscopy in peptic ulcer. Trudy LSONI 20:171-176
' 54. (MIRA 10:8)

1. Kafedra obshchey khirurgii Leningradskogo sanitarno-gigiyenicheskogo meditsinskogo instituta, zav. kafedroy - prof. I.M.Tal'man
(PEPTIC ULCER, surger,
postop. gastroscopy)
(GASTROSCOPY,
postop. in peptic ulcer)

KLEPATSKIY, B. I.

KLEPATSKIY, B.I., dotsent (Leningrad)

Gastroscopy of the stomach following surgery. Klin.med. 32
no.4:44-50 Ap '54. (MIRA 7:7)

1. Is kafedry obshchey khirurgii (sav. prof. I.M.Fal'man) Leni-
gradskogo sanitarno-gigiyenicheskogo meditsinskogo instituta.
(GASTROSCOPY,
*postop.)

KLEPATSKIY, B.I.

Use of absorbable alloys as material in osteosynthesis. Trudy
LSGHI 39:82-87 '58. (MIRA 12:8)

1. Kafedra obshchey khirurgii Leningradskogo sanitarno-gigiyeni-
cheskogo meditsinskogo instituta (sav.kafedroy - prof.I.M.Tal'-
man).

(FRACTURES, surgery,
intramedullary nailing with absorbable alloys
(Rus))

KLEPATSKIY, B.I.

Fat embolism following intermedullary nailing. Trudy LSCMI
39:88-97 '58. (MIRA 12:8)

1. Kafedra obshchey khirurgii Leningradskogo sanitarno-gigiyeni-
cheskogo meditsinskogo instituta (zav.kafedroy - prof. I.M.Tal'man).
(FRACTURES, surgery,
intramedullary nailing, postop. fat embolism
(Rus))
(EMBOLISM, etiol. & pathogen.
fat embolism in intramedullary nailing (Rus))

bun-
sep:

EXCERPTA MEDICA Sec 9/Vol 13/5 SURGERY May 59

2108. (825) INTRAMEDULLARY FIXATION IN FOREARM BONE FRACTURE
AND PSEUDARTHROSIS (Russian text) - Klepatskiy B. I. - VESTN. KHIR.
1958, 80/8 (27-31) Tables 4
The results of 100 cases are analysed. There were 46 closed, 24 open, 9 mal-
united fractures of the radius and ulna and 21 pseudarthroses. When conservative
treatment failed intramedullary metallic fixation was resorted to. A stable fixation
is the best way to warrant consolidation. In cases of both radius and ulna fractures
it is best to carry out the osteosynthesis of these bones simultaneously. A metallic
intramedullary osteosynthesis requires reinforcement by a plaster cast for at least
45 days.
(IX, 19)

*Clinic General Surgery,
Leningrad Sanitary Hygiene Med Inst*

KLEPATSKIY, B. I.: Doc Med Sci (diss) -- "The osteosynthesis of the bones of the forearm and some general problems of osteosynthesis with metal pins". Leningrad, 1959. 27 pp (Min Health RSFSR, Leningrad Sanitary-Hygiene Med Inst), 200 copies (KL, No 16, 1959, 109)

KLEPATSKIY, B.I., dotsent

Fractures of bones of the stump of the extremities. Trudy ISGMI
59:79-83 '60. (MIRA 14:9)

1. Klinika obshchey khirurgii Leningradskogo sanitarno-gigiyenicheskogo meditsinskogo instituta (sav. klinikoy - prof. I.M.Tal'man).
(AMPUTATION STUMP—FRACTURE)

KLEPATSKIY, B.I., dotsent

Change of pressure in the medullary cavity associated with the
insertion of a metallic nail and its forms. Ortop.travm.i protes.
21 no.4:19-25 Ap '60. (MIRA 13:9)

1. Is kafedry obshchey khirurgii (sav. - prof. I.M. Tal'man)
Leningradskogo sanitarno-gigiyenicheskogo meditsinskogo instituta.
(INTERNAL FIXATION OF FRACTURES)

SUPRON, L.F., dots., otv. red.; ARINCHIN, N.I., prof., red.;
GEL'BERG, S.I., prof., red.; KLEPATSKIY, B.I., prof., red.;
LIBERSON, G.Ya., prof., red.; NOVIKOV, I.I., kand. med.nauk
red.; RAZUMOVICH, A.N., assistant, red.

[Abstracts of the reports of the Fourth Scientific Session
on the Problem: Physiology, Morphology and Pathology of the
Cardiovascular System] Tезисы докладов Nauchnoi sessii po
probleme: Fiziologiya, morfologiya i patologiya serdechno-
sosudistoi sistemy. Grodno, Grodnenskiy med. in-t, 1962. 207 p.

(MIRA 17:10)

1. Nauchnaya sessiya po probleme: Fiziologiya, morfologiya i
patologiya serdechno-sosudistoy sistemy, 4th, 1962. 2. Zave-
duyushchiy kafedroy patologicheskoy fiziologii Grodenskogo me-
ditsinskogo instituta (for Supron). 3. Zaveduyushchiy kafedroy
normal'noy fiziologii Grodenskogo meditsinskogo instituta (for
Arinchin). 4. Kafedra normal'noy anatomii Grodenskogo meditsin-
skogo instituta (for Novikov). 5. Zaveduyushchiy kafedroy mikro-
biologii Grodenskogo meditsinskogo instituta (for Gel'berg).
6. Zaveduyushchiy kafedroy obshchey khirurgii Grodenskogo medi-
tsinskogo instituta (for Klepatskiy). 7. Zaveduyushchiy kafed-
roy nervnykh bolezney Grodenskogo meditsinskogo instituta (for
Liberson). 8. Kafedra biokhimii Grodenskogo meditsinskogo in-
stituta (for Razumovich).

POLOMIN, A., doktor tekhn.nauk; KRICHEVSKAYA, Ye., kand.tekhn.nauk; KLEPATSKIY,
Q., inzh.

New instructions for designing roofs without attic floors. Zhil.stroi.
no.12:26-29 '64. (MIRA 18:2)

KLEPATSKIY, K.F., inzh., red.; FLOMIN, A.I., doktor tekhn. nauk, red.; KRICHEVSKAYA, Ye.I., kand. tekhn. nauk, red.

[Instructions on designing built-up roofs for apartment and public buildings] Ukazaniia po proektirovaniu bescherdachnykh krysh zhilykh i obshchestvennykh zdani (SN 51-64). Izd. ofitsial'noe. Moskva, Stroiizdat, 1965. 23 p. (MIRA 18:9)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet po grazhdanskomu stroitel'stvu i arkhitekture. 2. Gosudarstvennyy komitet po grazhdanskomu stroitel'stvu i arkhitekture pri Gosstroye SSSR (for Klepatskiy). 3. Tsentral'nyy nauchno-issledovatel'skiy i proyektiruy institut tipovogo i eksperimental'nogo proyektirovaniya zhitel'stva (for Folomin, Krichevskaya).

KLEPCHA, V.

Work success is determined by the people. Den. i kred. 21
no.7:51-55 J1 '63. (MIRA 16:8)

1. Nachal'nik otdela kadrov Belorusskoy respublikanskoy kontory
Gosbanka.

(White Russia--Bank employees--Education and training)

BANKA, Marian, mgr ins.; KLEPEK, Jan, mgr ins.

Mechanical loading of the output in inclined drifts and
dip-road driving. Wiadom gorn 15 no.5:167-169 My'64.

CHERNITSOV, A., kamenshchik; KLEPEROV, N., insh.; TRAMBITSKIY, I., plotnik;
KONOVALOV, V., kranovshchik beshennogo krama; LYUTIKOV, V.; SHAKHOV, O.

Public control over new construction developments. Sov. profsoyuzy
16 no.19:16-22 O '60. (MIRA 13:10)

1. Rabochiye korrespondenty zhurnala "Sovetskiye profsoyuzy" (for all except Lyutikov, Shakhov). 2. Tret'ye stroitel'noye upravleniye tresta No.25 g. Novokuybyshevsk (for Chernitsov). 3. Rukovoditel' kontrol'noy gruppy savkoma Novokuybyshevskogo neftepererabatyvayushchego zavoda (for Kleperov). 4. Obshchestivennyy tekhnicheskiy inspektor oblsoprofa, Kuybyshevskaya oblast' (for Trambitskiy). 5. Spetsial'nyye korrespondenty zhurnala "Sovetskiye profsoyuzy" (for Lyutikov, Shakhov).

(Kuybyshev Province--Construction industry)
(Kuybyshev Province--Trade unions)

SYSHCHENKO, T.Ye.; FIRAGO, B.A.; SHCHEGOLEV, D.Ye.; NEVEL'SKIY, A.V.,
mladshiy nauchnyy sotrudnik; KIRICHENKO, A.G., vychislitel';
BRATIYCHUK, M.V.; MAKSYUTOV, mladshiy nauchnyy sotrudnik;
KALIKHEVICH, F.F., mladshiy nauchnyy sotrudnik; IVAKINA, T.Ya.;
laborant; KLEPESHTA, I.; RAYKHL, R.; VRATNIK, A.

Results of photographic observations of artificial earth
satellites. Biul.sta.opt.nabl.isk.sput Zem. no.4:17-23 '60.

(MIRA 13:11)

1. Glavnaya (Pulkovskaya) astronomicheskaya observatoriya AN SSSR
(for Syshchenko, Firago, Shchegolev). 2. Astrosvet AN SSSR (for
Nevel'skiy). 3. Nachal'nik stantsii opticheskikh nablyudeni
iskusstvennykh sputnikov Zemli, Uzhgorod (for Bratiychuk).
4. Stantsiya opticheskikh nablyudeni iskusstvennogo sputnika
Zemli, Uzhgorod (for Kirichenko). 5. Astronomicheskaya observatoriya
im.Engel'gardta, Kasan' (for Maksyutov). 6. Nikolayevskoye
otdeleniye Glavnoy astronomicheskoy observatoriya v Prage,
Chexoslovakiya (for Klepeshta, Raykhl, Vratnik).

(Artificial satellites--Tracking)

KLEPESHTA, Iosef [Klepesta, I.]

Meteors on a photograph. Priroda 50 no.4:96-97 Ap '61.
(MIRA 1424)

1. Narodnaya observatoriya, Praga.
(Meteors)

KLEPESKA, J.

"The greatest and small Maksutov and Schmidt telescopes." p. 30. (RISE HVEZD, Vol. 34, no. 2, 1953, Praha.)

SO: Monthly List of East European Accessions, Vol. 2, #10 Library of Congress
October 1953, Uncl.

KLEPESTA, J.

"New organisation of astronomical studies in Poland." (p.6). RISE HVEZD.
(Ceskoslovenska spolecnost astronomicka) Praha. Vol. 35, No. 1, Jan 1954.

SO: East European Accessions List, Vol. 3, No. 8, Aug 1954.

KLEPESTA, Josef

Mapa mesice. Meritko 1:5,000,000. (Map of Moon; Scale 1:1,500,000. 2d ed. English, French, German, and Russian summaries) Authors: Josef Klepesta, Ladislav J. Lukes. Prague, Ustredni sprava geodesie a kartografie, 1957. 31 p.

Photogravure-offset reproduction of the map of the moon surface as it appears through a telescope. It is based on photograph taken at the Licka Observatory and at various foreign observatories, and on negatives taken through the big telescope of the People's Observatory in Prague. The map is supplemented by a text having information on the dimensions, rotation, and orbit of moon, solar and lunar eclipse, precession and nutation, on sea and other important and interesting phenomena of selenography.

Bibliograficky katalog, CSR, Ceske knihy, No. 30. 3 Sept 57. p. 648.

PHASE I BOOK EXPLOITATION

80V/3521

Klepešta, Josef, and Ladislav J. Lukeš, Engineer, Doctor of Technical Sciences

Karta luny (Map of the Moon) Prague, Tsentral'noye upravleniye geodezii i kartografii, 1959. 41 p. fold. map on 2 sheets, each 72 x 50 cm., scale 1:5 000 000. No. of copies printed not given.

Resp. Ed.: Dara Benova; Tech. Ed.: František Paňek, Geodetic Engineer;
Translator: Alaksandra Mikhnevich.

PURPOSE: The publication is intended for astronomers and space researchers interested in problems concerning the moon.

COVERAGE: The author has constructed a map of the moon, consisting of two quarters and picturing the moon's surface as it is seen through a telescope. The pictures were based mainly on two photographs made at the Likka observatory. In sketching the monthly phases, use was made of numerous photographs received from foreign observatories, as well as negatives taken with a large telescope of the National Observatory in Prague. Both maps resemble the photographs to an extent but have the advantage of being three-dimensional over the entire quarter of the moon, which in the photographs is clearly visible only

Card 1/3

Map of the Moon

80V/3521

on a border line between light and shade areas. The author uses the new geographical terminology of the moon accepted by the International Astronomic Association. There are no references given.

TABLE OF CONTENTS:

Ch. I. Introduction

3

Ch. II.

1. Dimensions, Rotation and Revolution of the Moon
2. Eclipses of the Moon and Sun
3. Precession and Mutation
4. High Tides and Low Tides. High Tides. Effect of Tides on the Earth's Rotation
5. Future Development of the Earth-Moon System
6. Orientation by the Moon

4

5

7

7

8

9

Ch. III.

1. Fantastic Suppositions about the Moon
2. Communication With the Moon
3. Moon's Surface

9

12

16

Card 2/3

Map of the Moon	SOV/3521
4. Were Changes on the Moon Observed?	19
5. Brief History of Conceptions of the Moon	22
Ch. IV. Some Excursions on the Moon	24
1. Dark Spots and Light Areas	24
2. The Western Edge of the Moon	26
3. From Lunar Pyrenees to South Pole	28
4. From Caucasus to South Pole	30
5. From Moon's Center to Both Poles	30
6. North-Eastern Part of the Moon	34
7. From Rainbow Bay to the Plains of Longomontan Terraces	36
8. Road Along the Waning Crescent	37
Conclusion	38
Soviet Rocket Reaches the Moon	41
AVAILABLE: Library of Congress	
Card 3/3	TN/nas 5/16/60

3/035/62/000/009/010/060
A001/A101

AUTHOR: Klepešta, Josef

TITLE: The craters Aristarchus and Herodotus

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 9, 1962, 69,
abstract 9A185 ("Říše hvězd", 1962, v. 43, no. 2, 35 - 36, Czech)

TEXT: In connection with the phenomenon of lunar luminescence, discovered by N. A. Kozyrev and J. Dubois, the photographs of craters Aristarchus and Herodotus taken in 1890 at the Lick Observatory and in 1921 at the Mount Wilson Observatory are compared. A difference in intensities of bright aureoles is noted, especially south-east of the Aristarchus crater. The first photograph was taken at the time of a minimum solar activity, the second one - at a time between a maximum and a minimum. A project "Sun-Moon Service" is proposed, i.e., immediate photographing of selected regions of the Moon in cases of flares on the Sun. ✓

V. Bronshten

[Abstracter's note: Complete translation]

Card 1/1

KLEPESHTA, Yosef [Klepešta, Josef]; LUKESH, Ladislav [Lukáč, Ladislav],
inzh., doktor rad. tekhn. nauk; MIKHNEVICH, Aleksandra
[translator]; DEMOVA, Dara, otv. red.

[Map of the moon] Karta Luny. Prague, TSentral'noe upr.
geodezii i kartografii, 1959. 41 p. (MIRA 17:8)

CHVOJKOVA, E.; KLEPESTA, J.

Magnetic field and eruptive solar prominences. Biul astr Cs
16 no.2:70-73 '65.

1. Astronomical Institute of the Czechoslovak Academy of
Sciences, Prague. Submitted July 1, 1964.

KLEPETKO J.

4532

2187. GAS-FILLED COLD-CATHODE RECTIFIER TUBES

J. Klepetko
Sov. Radio Obsor. Vol 19, No 1, 10-12-1956, 1 to each

The tube described (type 111A8) is a gas-filled device consisting of three electrodes: a small cylindrical cathode, a comparatively large cylindrical anode and a floating or free electrode which is situated between the anode and the cathode. The tube is of miniature dimensions and is filled with A at a pressure of 2.5 mm Hg. The floating electrode is chosen in such a manner that, when the tube is operated as a rectifier, it works in the glow-discharge regime during the positive half cycle and with a corona type discharge during the negative half cycle. The device can be used as a rectifier for voltages up to 1 kV and currents up to 100 μ A, its reverse current at inverse voltages of 1 kV being 10 μ A. Some performance curves and technological details of the tube are given.

R. S. Skobovitch

1/

KLEPETKO, Jaromir, ins.

Problems in designing the electron tubes for very high frequency.
Sdel tech 10 no.7:261-264 JI '62.

TURKIN, V., insh.; SYUMKIN, A., insh.; KLEPPER, O., insh.

Some problems of construction practice in Chelyabinsk. Zhil.
stroi. no.10:10-11 '65. (MIRA 18:11)

SOV/144-59-12-2/21

AUTHORS: Klepfer, Ye.I., Assistant and Tikhomirov, G.M.

TITLE: Analytical Investigation of the Processes in a Ferrite Cell ²¹

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Elektromekhanika, 1959, Nr 12, pp 12-17 (USSR)

ABSTRACT: It is known that the magnetic induction can be represented by:

$$B = \mu_0 H + 4\pi I \quad (2)$$

where μ_0 is the permeability of free space,

H is the magnetic field and

I is the intensity of magnetization.

By considering the modern theory of magnetism, it is shown that the magnetization can be expressed by Eq (9) where $\sin \varphi = H_c/H_m$, while k is so chosen that the distribution curve for the elementary magnets over a segment outside $-1 < \eta < 1$ is near to zero. In the case of ferromagnetic materials for the fields $H = (0 - 5)H_c$, the magnetic induction is expressed by:

Card 1/4

50V/144-59-12-2/21

Analytical Investigation of the Processes in a Ferrite Cell

$$B = \mu_0 H + \frac{2B_m}{\sqrt{2\pi}} \int_0^{\frac{z^2}{H}} e^{-\frac{z^2}{H}} dz \quad (10)$$

This represents the hysteresis loop of a given material. If the parameters B_m , H_m , H_c , μ_0 and k are known it is possible to determine B for any given values of H lying within the interval $-H_m$ to $+H_m$. An example of an experimental curve and a calculated curve (evaluated by Eq 10) is shown in Fig 1. Eq (10) can be used to determine transient phenomena in a ferrite device. Such a circuit is shown in Fig 2. The operation of the device is described by Eq (11); this does not take into account the eddy currents since these can be neglected in the ferrite. The resulting differential equation for the system, derived from Eq (11) is in the form of Eq (13). In this $R = R_1 R_2 / (R_2 \omega_1^2 - R_1 \omega_2^2)$. When $R_2 = \infty$, the

Card 2/4

differential equation is in the form of Eq (14). This ✓

SOV/144-39-12-2/21

Analytical Investigation of the Processes in a Ferrite Cell

expression is used to investigate the transient response when the input voltage is in the form

$$E_1 = E_{10}(1 - e^{-\gamma t}).$$

The magnetic field can be determined by integrating Eq (14) by the Runge-Kutt method. The results are indicated in Table 1, while the graphical solution is shown in Fig 3. For the case considered (ferrite-type K-65, the rise time of the input voltage 0.1 μ s) the transient time of H is about 1.8 μ s. The emf induced in the secondary winding of the device (see Fig 2) is expressed by Eq (18). A graphical representation of this is shown in Fig 3. The above results were verified experimentally and it was found that the experiments and the calculations differed by not more than 10%. It appears, therefore, that the mathematical investigation of the characteristics of ferrite devices is fully feasible. There are 3 figures and 1 table. ✓

Card 3/4

SOV/144-59-12-2/21

Analytical Investigation of the Processes in a Ferrite Cell

ASSOCIATIONS: Kafedra avtomatiki i telemekhanika Taganrogskogo
radiotekhnicheskogo instituta (Chair of Automation and
Telemechanics of the Taganrog Radio-Engineering Institute)
Kafedra vysshey matematiki Taganrogskogo
radiotekhnicheskogo instituta (Chair of Higher
Mathematics of the Taganrog Radio-Engineering Institute)

SUBMITTED: August 18, 1959 ✓

Card 4/4

CA

7

Source of methane emanation in mines of the Moscow Basin. I. P. Shlyarenko and B. A. Klimov. (Izol 20, No. 2, 22-2 (1961)).--The emanation of CH_4 from the working face of these mines is unstable. Largest accumulation of CH_4 was found in old rooms, particularly in old rooms in which there was stagnant water. The source of the CH_4 was fermentation in such ponds. M. Hensch

KLEPIKOV, B., inzhener; OSIFOV, S., inzhener.

Apparatus for the calculation of ventilation systems. Mast.ugl. 6
no.1:15 Ja '57. (MIRA 10:4)
(Mine ventilation)

~~SECRET~~

The PRVS-2 unit for calculating mine ventilation systems. Biol.
tekhn.-ekon.inform. no.4:9-10 (co. (MIRA 12:7)
(Mine ventilation)

KLEPIKOV, B.A., starshiy nauchnyy sotrudnik

Designing mine ventilation on electric models. Ugol'Ukr. 3
no.12:8-11 D '59. (MIRA 13:4)

1. Makeyevskiy nauchno-issledovatel'skiy institut po besopasnosti
gornykh rabot.
(Mine ventilation--Electromechanical analogies)

KLEPIKOV, B.A.

Using electric modeling in planning mine ventilation systems.
Vop. bezop. v ugol'. shakh. 13:3-19 '62. (MIRA 16:5)

(Mine ventilation) (Electromechanical analogies)

KLEPIKOV, B.A.

Automatic control of mine ventilation. Trudy MakNII 15:29-42
'63. (MIRA 17:11)

1. KLEPIKOV, B. F.: DESPOTULI, A. S.
2. USSR (600)
4. Lenses
7. Homemade lenses for a demonstration disk. Fiz.v shkole 12 no. 6 1952

9. Monthly List of Russian Accessions, Library of Congress, February 1952.
Unclassified.

KLEPIKOV, P. A.
KLEPIKOV, P.A., kand.med.nauk (Khar'kov)

Report on the activities of the Kharkov Urological Society in 1955
and 1956. Urologiia 22 no.4:75-77 Ji-Ag '57. (MIRA 10:10)
(GENITOURINARY ORGANS--DISEASES)

KLEPIKOV, F.A., kandidat meditsinskikh nauk

Immediate and late results of surgical treatment of male genital tuberculosis. Urologia 21 no.4:34-37 O-D '56. (MLBA 10:2)

1. Is urologicheskoy kliniki (zav. - prof. G.Ya. Alapin) Ukrainskogo instituta usovershenstvovaniya vrachey (dir. - dotsent I.I. Ovsienko)
(TUBERCULOSIS, MALE GENITAL, ther.
statist. of immediate & remote results)

KLEPIKOV, F.A., dotsent; STREBKOV, V.S., assistant

Renal echinococcosis. Klin. khir. no.2142-47 '65.

(MIRA 18:10)

1. Urologicheskaya klinika (sav.- prof. G.Ya. Alapin) i kafedra
khirurgii No.1 (sav.- prof. V.A. Kartavin) Ukrainskogo instituta
usovershenstvovaniya vrachey.

КЛЕПИКОВ, Ф.А., dots. (Khar'kov)

Report on the activities of the Kharkov Urological Society in 1958.
Urologia 24 no.5:73-75 3-0 '59. (MIRA 12:12)
(KHARKOV--UROLOGICAL SOCIETIES)

hydrogen peroxide, etc.

1. I. M. ZERD, Z.I., kandidat khimicheskikh nauk; KLEPIKOV, L.A., kandidat
tekhnicheskikh nauk; NIKOLIN, F.V., kandidat tekhnicheskikh nauk.

Hydrogen peroxide clarification of soapstock from cottonseed oil.
Masl.-zhir.prom. 17 no.11:12-13 N '52. (MLPA 10:9)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut shirov.
(Soap) (Hydrogen peroxide)